
You are assisting the Combat medic in assessing SPC Rachel Smith (834-56-6789) an MP who was injured at 1714 on today after her unit came under small arms fire. The medic identifies a small open wound approximately 6 inches distal to her right elbow on the anterior portion of the arm. Because of bleeding, her battle buddy applied a tourniquet to her arm immediately after the injury. The tourniquet was applied properly. Upon further examination and exposure of the wound it was found that there is only an entrance wound. The medic later applies a pressure dressing to the wound and loosens the tourniquet, which seems to be working. After loosening the tourniquet SPC Smith seems to have a good strong pulse therefore the medic has placed a saline lock with an 18 gauge needle in the unaffected arm at 1725. She has been taking antibiotics for a cold for a couple days, but can't remember which one. Vitals were taken shortly after the saline lock was started and she has a pulse rate of 94, a respiration rate of 16 and a blood pressure of 122/76. Lastly, at 1735 the medic administered 5.0 mg of morphine sulfate, for pain.



TCCC Card

BATTLE ROSTER #:					
EVAC: 🗌 Urgent 🗌 Priority 🗌 Routine					
Treatments: (X all that apply, and fill in the blank)				Type	
C:TQ- Extremity Junctional Truncal					
Dressing- Hemostatic Pressure Other					
A: Dintact DNPA CRIC ET-Tube SGA					
B: O2 Needle-D Chest-Tube Chest-Seal					
C:		Name	Volume	Route	Time
	Fluid				
	Blood Product				
ME	DS:	Name	Dose	Route	Time
	Actigesic (e.g. etamine Fentanyl, Morphine) Antibiotic (e.g., Moxifloxacin, Ertapenem) Other	A M I	• I	, E	
(e.g., TXA) OTHER: Combat-Pill-Pack Eye-Shield (R L) Splint Hypothermia-Prevention Type:					
NOTES:					
FIRST RESPONDER					
NAME (Last, First):				LAST 4:	
DD Form 1380, JUN 2014 (Back) TCCC CARD					